



NEDERLAND (THE NETHERLANDS)



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*1807*01

Reason for extension: Increase of D-value and S-value.

SECTION I

0.1. Make (trade name of manufacturer) **Bosal**

0.2. Type and general commercial description(s) 026941

0.3. Means of identification of type marked on the

component

0.3.1. Location of that marking

0.5. Name and address of manufacturer

In the case of components and separate technical: On type plate

units, location and method of

affixing of the EEC type approval mark

0.8. Address(es) of assembly plant(s)

On type plate

: Bosal Le Rapide Rue de Reims

: See information document

F-51490 Beine Nauroy France

Type approval number

(annex III, item 0.8)

0.7.

Type-approval number: e4*94/20*1807*01

SECTION II

1. Additional information (where applicable) : See Appendix I

2. Technical service responsible for carrying out

the tests

RDW

Testbaan|Centrum

Talingweg 76 8218 NX Lelystad

0210 IVA Letysta

3. Date of test report

14-08-2002 03-03-2005

4. Number of test report

: RDW-94/20-1823

RDW-94/20-4011

5. Remarks (if any)

See Appendix I

6. Place

Zoetermeer

7. Date

03-03-2005

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
 - Application form relating to annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Test report as mentioned in item 4.

Appendix I

to EEC type-approval certificate No: e4*94/20*1807*01 concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1.	Additional	information
1.	Additional	miormanon

1.1.	Class of the type of coupling	: A50-X
------	-------------------------------	---------

1.2.	Categories or types of vehicles for which	:	See fitting instructions
	the device is designed or restricted		

			•	
1.3.	Maximum D-value	:	8.51	kN
			11,00	kN
1.4.	Maximum vertical load S at the coupling point	:	75	kg
			<u>80</u>	kg
1.5	Maximum load U at the fifth wheel			4
1.3	coupling point	•		ton
1.6.	Maximum V-value			kN
1.0.	MANUALLY YOUNG	•		L/T A

1.7.	Instructions for attachment of the coupling	:
	type to the vehicle and photographs or	
	drawings of the fitting points at the vehicle	
	give by the manufacturer; additional	
	information if the use of the coupling type is	

See fitting instructions



1.8 Information on the fitting of special towing brackets or mounting plates

restricted to special types of vehicles

: See fitting instructions

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.