#### **DSG S-TRONIC**



# **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: DSG S-TRONIC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Transmission oil

**Uses advised against:** No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier AUTOMOCION SOSTENIBLE T+C. S.L.

Polígono comarca 2, calle B nave 5 31191 Esquiroz de Galar, Navarra

Telephone: +34 948 854 079

Contact Person: AUTOMOCION SOSTENIBLE. Product safety

Telephone: +34 948 854 079 E-mail: info@tcmatic.com

**1.4 Emergency telephone number:** +34 948 854 079

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

**Hazard summary** 

Physical Hazards: No data available.

2.2 Label Elements

EUH208: Contains alkyl amine. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Fecha de Revisión: 30.09.2016 1/10

#### **DSG S-TRONIC**



## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier		REACH Registration No.	Notes
base oil, low viscous	EINECS: 276-738-4	50,00 - <100,00%	01-2119474889-13	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.PBT: persistent, bioaccumulative and toxic substance.

#### Classification

Chemical name	Identifier	Classification	
base oil, low viscous	EINECS: 276-738-4	CLP:	Asp. Tox. 1;H304

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### **SECTION 4: First aid measures**

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and

special treatment needed

Get medical attention if symptoms occur.

Fecha de Revisión: 30.09,2016 2/10

vPvB: very persistent and very bioaccumulative substance.

### **DSG S-TRONIC**



## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger

fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

**Special protective** equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### **DSG S-TRONIC**



#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s):

No data available.

**Storage Class:** 

10, Combustible liquids

#### **DSG S-TRONIC**



# SECTION 8: Exposure controls/personal protection

#### **8.1 Control Parameters**

**Occupational Exposure Limits** 

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

#### **DSG S-TRONIC**



# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Color: Brown

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Boiling Point:Value not relevant for classificationFlash Point:> 220 °C (DIN EN ISO 2592)Evaporation Rate:Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 0,84 g/cm3 (20 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:Value not relevant for classificationDecomposition Temperature:Value not relevant for classification

Kinematic viscosity: 36 mm2/s (40 °C)

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

**9.2 Other information**No data available.

#### SECTION 10: Stability and reactivity

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

Fecha de Revisión: 30.09.2016

#### **DSG S-TRONIC**



7/10

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 2.001 mg/kg

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rabbit): > 2.001 mg/kg

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

Other Adverse Effects: No data available.

#### **DSG S-TRONIC**



### **SECTION 12: Ecological information**

12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Chronic ToxicityProduct:** Based on available data, the classification criteria are not met.

12.2 Persistence and Degradability

Biodegradation

**Product:** Not applicable for mixtures

12.3 Bioaccumulative Potential

**Product:** Not applicable for mixtures

12.4 Mobility in Soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other Adverse Effects:** No data available.

**Water Hazard Class** 

(WGK):

WGK 2: water-endangering.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

**European Waste Codes** 

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

8/10

Fecha de Revisión: 30.09.2016

## **DSG S-TRONIC**



# **SECTION 14: Transport information**

AD	R/RID	
	14.1 UN Number:	_
	14.2 UN Proper Shipping Name:	_
	14.3 Transport Hazard Class(es)	
	Class:	Non-dangerous goods
	Label(s):	_
	Hazard No. (ADR):	_
	Tunnel restriction code:	_
	14.4 Packing Group:	_
	14.5 Environmental hazards:	_
	14.6 Special precautions for user:	_
ΑD	N	
	14.1 UN Number:	_
	14.2 UN Proper Shipping Name:	_
	14.3 Transport Hazard Class(es)	
	Class:	Non-dangerous goods
	Label(s):	_
	14.3 Packing Group:	_
	14.5 Environmental hazards:	_
	14.6 Special precautions for user:	_
IME	OG	
	14.1 UN Number:	_
	14.2 UN Proper Shipping Name:	_
	14.3 Transport Hazard Class(es)	
	Class:	Non-dangerous goods
	Label(s):	_
	EmS No.:	_
	14.3 Packing Group:	_
	14.5 Environmental hazards:	_
	14.6 Special precautions for user:	_
IAT	·A	
	14.1 UN Number:	_
	14.2 Proper Shipping Name:	_
	14.3 Transport Hazard Class(es):	
	Class:	Non-dangerous goods
	Label(s):	_
	14.4 Packing Group:	_
	14.5 Environmental hazards:	_
	14.6 Special precautions for user:	_

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

Fecha de Revisión: 30.09.2016 9/10

#### **DSG S-TRONIC**



## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

Other information: The classification is in line with current EC lists. It is expanded, however, by

information from technical literature and by information furnished by supplier

companies. The classification results from the Conventional Method

mentioned in regulation EU 1272/2008 (CLP).

**Revision Date:** 30.09.2016

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on

this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Fecha de Revisión: 30.09.2016 10/10